ELSEVIER

Brain Research 639 (1994) 357–359

BRAIN RESEARCH

Author Index

Abe, K., see Ishihara, A. (639) 21
Aghajanian, G.K., see Alreja, M. (639) 320
Akiyama, H., Nishimura, T., Kondo, H., Ikeda, K., Hayashi, Y. and McGeer, P.L.
Expression of the receptor for macrophage colony stimulating factor by brain microglia and its upregulation in brains of patients with Alzheimer's disease and amyotrophic lateral sclerosis (639) 171
Albers, H.E., see Peters, R.V. (639) 217
Albin, R.L., see Juiz, J.M. (639) 193
Alreja, M. and Aghajanian, G.K.
QX-314 blocks the potassium but not the sodium-dependent component of the opiate response in locus coeruleus neurons (639) 320
Altschuler, R.A., see Juiz, J.M. (639) 193
Anderson, G., see Peters, R.V. (639) 217
Andrus, P.K., see Zhang, J.-R. (639) 275
Armstrong, D.M., Ikonomovic, M.D., Sheffield, R. and Wenthold, R.J.
AMPA-selective glutamate receptor subtype immunoreactivity in the entorhinal cortex of non-demented elderly and patients with Alzheimer's disease (639) 207
Arnold, A.P., see Wade, J. (639) 347

Backonja, M., Wang, B. and Miletic, V.
Responses of neurons in the ventrolateral orbital cortex to noxious cutaneous stimulation in a rat model of peripheral mononeuropathy (639) 337
Bhargava, H.N., see Gudehithlu, K.P. (639) 269
Bleasel, A.F. and Pettigrew, A.G.
The effect of bicarbonate-free artificial cerebrospinal fluid on spontaneous oscillations of the membrane potential in inferior olivary neurons of the rat (639) 8
Bloms-Funke, P., see Mußhoff, U. (639) 135
Boomgaarden, M., see Kaufmann, R. (639) 109
Burger, L.Y. and Martin-Iverson, M.T.
Increased occupation of D_1 and D_2 dopamine receptors accompanies cocaine-induced behavioral sensitization (639) 228

Cagampang, F.R.A. and Inouye, S.-I.T.
Diurnal and circadian changes of serotonin in the suprachiasmatic nuclei: regulation by light and an endogenous pacemaker (639) 175
Carr, K.D. and Papadouka, V.
The role of multiple opioid receptors in the potentiation of reward by food restriction (639) 253
Carr, K.D., see Papadouka, V. (639) 42
Celotti, F., see Melcangi, R.C. (639) 202
Chase, M., see Yamuy, J. (639) 313
Choi, D.W., see Chow, H.S. (639) 102
Chow, H.S., Lynch III, J.J., Rose, K. and Choi, D.W.
Trolox attenuates cortical neuronal injury induced by iron, ultraviolet light, glucose deprivation, or AMPA (639) 102
Cloft, H.J. and Mitchell, J.A.
Immunocytochemical detection of oxytocin in the supraependymal neuronal complex of the golden hamster (639) 233
Cynader, M.S., see Prasad, S.S. (639) 73

De Castro, D., Lipski, J. and Kanjhan, R.
Electrophysiological study of dorsal respiratory neurons in the medulla oblongata of the rat (639) 49
De Groat, W.C., see Yoshiyama, M. (639) 300
De Jong, W., see Linthorst, A.C.E. (639) 261
Dekker, A.J., Fagan, A.M., Gage, F.H. and Thal, L.J.
Effects of brain-derived neurotrophic factor and nerve growth factor on remaining neurons in the lesioned nucleus basalis magnocellularis (639) 149
Didier-Bazes, M., see Fages, C. (639) 161
Dubin, M.W., see Scheetz, A.J. (639) 181

Fagan, A.M., see Dekker, A.J. (639) 149
Fages, C., Le Prince, G., Didier-Bazes, M., Rolland, B., Hardin, H. and Tardy, M.
Long-term astroglial reaction to serotonergic fiber degeneration (639) 161
Feitsma, L.E., see Gerkema, M.P. (639) 93
Fibiger, H.C., see Taber, M.T. (639) 354
Fujisawa, H., see Sano, M. (639) 115
Fukuda, T.
2-Methyl-1,2,3,4-tetrahydroisoquinoline does dependently reduce the number of tyrosine hydroxylase-immunoreactive cells in the substantia nigra and locus ceruleus of C57BL/6J mice (639) 325
Fukui, Y., see Ueda, K. (639) 240
Furness, L., see Watkins, L.R. (639) 283

Gage, F.H., see Dekker, A.J. (639) 149
Gerkema, M.P., Van der Zee, E.A. and Feitsma, L.E.
Expression of circadian rhythmicity correlates with the number of arginine-vasopressin-immunoreactive cells in the suprachiasmatic nucleus of common voles, *Microtus arvalis* (639) 93
Gilbert, J., see Shannak, K. (639) 33
Goehler, L.E., see Watkins, L.R. (639) 283
Gras, M., see Linthorst, A.C.E. (639) 261
Grundke-Iqbal, I., see Kudo, T. (639) 1
Gudehithlu, K.P., Reddy, P.L. and Bhargava, H.N.
Effect of morphine tolerance and abstinence on the binding of [^{3}H]MK-801 to brain regions and spinal cord of the rat (639) 269

Hall, E.D., see Zhang, J.-R. (639) 275
Haller, H., see Kaufmann, R. (639) 109
Hardin, H., see Fages, C. (639) 161
Hay, M. and Kunze, D.L.
Calcium-activated potassium channels in rat visceral sensory afferents (639) 333
Hayashi, Y., see Akiyama, H. (639) 171
Hazama, F., see Yamada, E. (639) 341
Helfert, R.H., see Juiz, J.M. (639) 193
Henklein, P., see Kaufmann, R. (639) 109
Hennessey, A.C., see Peters, R.V. (639) 217
Hipkens, S.B., see Yurek, D.M. (639) 329
Hornykiewicz, O., see Shannak, K. (639) 33

Ikai, Y., see Tokuno, H. (639) 156
Ikarashi, Y., see Ishimaru, H. (639) 66
Ikeda, K., see Akiyama, H. (639) 171
Ikonomovic, M.D., see Armstrong, D.M. (639) 207
Inouye, S.-I.T., see Cagampang, F.R.A. (639) 175
Iqbal, K., see Kudo, T. (639) 1
Ishihara, A., Saito, H. and Abe, K.
Transforming growth factor-β1 and -β2 promote neurite sprouting and elongation of cultured rat hippocampal neurons (639) 21
Ishimaru, H., Takahashi, A., Ikarashi, Y. and Maruyama, Y.
Temporal changes in extracellular acetylcholine and CA1 pyramidal cells in gerbil hippocampus following transient cerebral ischemia (639) 66
Iwanaga, M., see Sano, M. (639) 115

Jeftinija, S.
The role of tetrodotoxin-resistant sodium channels of small primary afferent fibers (639) 125
Jiménez, I., see Yamuy, J. (639) 313
Juiz, J.M., Albin, R.L., Helfert, R.H. and Altschuler, R.A.
Distribution of $GABA_A$ and $GABA_B$ binding sites in the cochlear nucleus of the guinea pig (639) 193

0006-8993/94/$07.00 © 1994 Elsevier Science B.V. All rights reserved

Kageyama, H., see Ueda, K. (639) 240
Kamogawa, H., Manabe, K., Kondo, M. and Naito, K.
Supra- and juxtatrigeminal inhibitory premotor neurons with bifurcating axons projecting to masseter motoneurons on both sides (639) 85
Kanjhan, R., see De Castro, D. (639) 49
Kataoka, H., see Yamada, E. (639) 341
Kaufmann, R., Lindschau, C., Schöneberg, T., Haller, H., Henklein, P., Boomgaarden, M. and Ott, T.
Type B cholecystokinin receptors on rat glioma C_6 cells. Binding studies and measurement of intracellular calcium mobilization (639) 109
Kawano, K., see Yoshida, Y. (639) 139
Kelly, P.A.T., Thomas, C.L. and Ritchie, I.M.
Sympathetic denervation and the cerebrovascular response to hypertension induced by N^G-nitro-L-arginine methyl ester (639) 309
Kish, S., see Shannak, K. (639) 33
Kondo, H., see Akiyama, H. (639) 171
Kondo, M., see Kamogawa, H. (639) 85
Krueger, J.M., see Opp, M.R. (639) 57
Kudo, T., Iqbal, K., Ravid, R., Swaab, D.F. and Grundke-Iqbal, I.
Alzheimer disease: correlation of cerebro-spinal fluid and brain ubiquitin levels (639) 1
Kunze, D.L., see Hay, M. (639) 333

Lalonde, R.
Motor learning in lurcher mutant mice (639) 351
Le Prince, G., see Fages, C. (639) 161
Lindschau, C., see Kaufmann, R. (639) 109
Linthorst, A.C.E., Van Giersbergen, P.L.M., Gras, M., Versteeg, D.H.G. and De Jong, W.
The nigrostriatal dopamine system: role in the development of hypertension in spontaneously hypertensive rats (639) 261
Lipski, J., see De Castro, D. (639) 49
Lu, X.-C.M. and Slotnick, B.M.
Recognition of propionic acid vapor after removal of the olfactory bulb area associated with high 2-DG uptake (639) 26
Luine, V., Villegas, M., Martinez, C. and McEwen, B.S.
Repeated stress causes reversible impairments of spatial memory performance (639) 167
Lynch III, J.J., see Chow, H.S. (639) 102

Madeja, M., see Mußhoff, U. (639) 135
Maier, S.F., see Watkins, L.R. (639) 283
Manabe, K., see Kamogawa, H. (639) 85
Martin-Iverson, M.T., see Burger, L.Y. (639) 228
Martinez, C., see Luine, V. (639) 167
Martinez, J., see Watkins, L.R. (639) 283
Martini, L., see Melcangi, R.C. (639) 202
Maruyama, Y., see Ishimaru, H. (639) 66
Mazella, J., see Zsürger, N. (639) 245
McEwen, B.S., see Luine, V. (639) 167
McGeer, P.L., see Akiyama, H. (639) 171
Melcangi, R.C., Celotti, F. and Martini, L.
Progesterone 5-α-reduction in neuronal and in different types of glial cell cultures: type 1 and 2 astrocytes and oligodendrocytes (639) 202
Miletic, V., see Backonja, M. (639) 337
Mitchell, J.A., see Cloft, H.J. (639) 233
Miyagishi, T., see Yoshida, Y. (639) 139
Mizuno, N., see Tokuno, H. (639) 156
Mooney-Heiberger, K., see Watkins, L.R. (639) 283
Morales, F., see Yamuy, J. (639) 313
Mußhoff, U., Madeja, M., Bloms-Funke, P. and Speckmann, E.-J.
Effects of the epileptogenic agent bicuculline methiodide on membrane currents induced by *N*-methyl-D-aspartate and kainate (oocyte; *Xenopus laevis*) (639) 135

Nagahama, M., see Sano, M. (639) 115
Naito, K., see Kamogawa, H. (639) 85
Nishimura, T., see Akiyama, H. (639) 171

Ono, T., see Yoshida, Y. (639) 139
Opp, M.R. and Krueger, J.M.
Interleukin-1 is involved in responses to sleep deprivation in the rabbit (639) 57
Ott, T., see Kaufmann, R. (639) 109

Papadouka, V. and Carr, K.D.
The role of multiple opioid receptors in the maintenance of stimulation-induced feeding (639) 42
Papadouka, V., see Carr, K.D. (639) 253
Peters, R.V., Zoeller, R.T., Hennessey, A.C., Stopa, E.G., Anderson, G. and Albers, H.E.
The control of circadian rhythms and the levels of vasoactive intestinal peptide mRNA in the suprachiasmatic nucleus are altered in spontaneously hypertensive rats (639) 217
Pettigrew, A.G., see Bleasel, A.F. (639) 8
Prasad, S.S. and Cynader, M.S.
Identification of cDNA clones expressed selectively during the critical period for visual cortex development by subtractive hybridization (639) 73

Rajput, A., see Shannak, K. (639) 33
Ravid, R., see Kudo, T. (639) 1
Reddy, P.L., see Gudehithlu, K.P. (639) 269
Ritchie, I.M., see Kelly, P.A.T. (639) 309
Rolland, B., see Fages, C. (639) 161
Roppolo, J.R., see Yoshiyama, M. (639) 300
Rose, K., see Chow, H.S. (639) 102
Rozdilsky, B., see Shannak, K. (639) 33
Rudomin, P., see Yamuy, J. (639) 313

Saito, H., see Ishihara, A. (639) 21
Sano, M., Iwanaga, M., Fujisawa, H., Nagahama, M. and Yamazaki, Y.
Staurosporine induces the outgrowth of neurites from the dorsal root ganglion of the chick embryo and PC12D cells (639) 115
Scheetz, A.J. and Dubin, M.W.
Cytochemical polarity in lateral geniculate interneurons (639) 181
Schöneberg, T., see Kaufmann, R. (639) 109
Shannak, K., Rajput, A., Rozdilsky, B., Kish, S., Gilbert, J. and Hornykiewicz, O.
Noradrenaline, dopamine and serotonin levels and metabolism in the human hypothalamus: observations in Parkinson's disease and normal subjects (639) 33
Sheffield, R., see Armstrong, D.M. (639) 207
Slotnick, B.M., see Lu, X.-C.M. (639) 26
Smith, K.P., see Watkins, L.R. (639) 283
Speckmann, E.-J., see Mußhoff, U. (639) 135
Stopa, E.G., see Peters, R.V. (639) 217
Swaab, D.F., see Kudo, T. (639) 1

Taber, M.T. and Fibiger, H.C.
Cortical regulation of acetylcholine release in rat striatum (639) 354
Takada, M., see Tokuno, H. (639) 156
Takahashi, A., see Ishimaru, H. (639) 66
Tardy, M., see Fages, C. (639) 161
Thal, L.J., see Dekker, A.J. (639) 149
Thomas, C.L., see Kelly, P.A.T. (639) 309
Tokuno, H., Takada, M., Ikai, Y. and Mizuno, N.
Direct projections from the deep layers of the superior colliculus to the subthalamic nucleus in the rat (639) 156

Ueda, K., Fukui, Y. and Kageyama, H.
Amyloid β protein-induced neuronal cell death: neurotoxic properties of aggregated amyloid β protein (639) 240

Van der Zee, E.A., see Gerkema, M.P. (639) 93
Van Giersbergen, P.L.M., see Linthorst, A.C.E. (639) 261
Versteeg, D.H.G., see Linthorst, A.C.E. (639) 261
Villegas, M., see Luine, V. (639) 167
Vincent, J.-P., see Zsürger, N. (639) 245

Wade, J. and Arnold, A.P.
Post-hatching inhibition of aromatase activity does not alter sexual differentiation of the zebra finch song system (639) 347
Wang, B., see Backonja, M. (639) 337
Watkins, L.R., Wiertelak, E.P., Goehler, L.E., Mooney-Heiberger, K., Martinez, J., Furness, L., Smith, K.P. and Maier, S.F.
Neurocircuitry of illness-induced hyperalgesia (639) 283
Wenthold, R.J., see Armstrong, D.M. (639) 207
Wiertelak, E.P., see Watkins, L.R. (639) 283

Yamada, E., Kataoka, H. and Hazama, F.
Specific expression of type II protein kinase c after axotomy in the dorsal motor nucleus of the vagus nerve and the hypoglossal nucleus (639) 341
Yamazaki, Y., see Sano, M. (639) 115

Yamuy, J., Jiménez, I., Morales, F., Rudomin, P. and Chase, M.
Population synaptic potentials evoked in lumbar motoneurons following stimulation of the nucleus reticularis gigantocellularis during carbachol-induced atonia (639) 313

Yoshida, Y., Ono, T., Kawano, K. and Miyagishi, T.
Distinct sites of dopaminergic and glutamatergic regulation of haloperidol-induced catalepsy within the rat caudate-putamen (639) 139

Yoshiyama, M., Roppolo, J.R. and De Groat, W.C.
Interactions between glutamatergic and monoaminergic systems controlling the micturition reflex in the urethane-anesthetized rat (639) 300

Yurek, D.M. and Hipkens, S.B.
Intranigral injections of SCH 23390 inhibit SKF 82958-induced rotational behavior (639) 329

Zhang, J.-R., Andrus, P.K. and Hall, E.D.
Age-related phospholipid hydroperoxide levels in gerbil brain measured by HPLC-chemiluminescence and their relation to hydroxyl radical stress (639) 275

Zoeller, R.T., see Peters, R.V. (639) 217

Zsürger, N., Mazella, J. and Vincent, J.-P.
Solubilization and purification of a high affinity neurotensin receptor from newborn human brain (639) 245